



security key "operating system" initialization

Search Patents

[Advanced Patent Search](#)
[Google Patent Search](#)

Filing date

☐ Return patents filed anytime

☒ Return patents filed between Jan ▾ 1980 ▾ and Feb ▾ 2002 ▾

Patents

Patents 1 - 100 on security key "operating system" initialization. (0.33 seconds)

Security access and monitoring system for personal computer

US Pat. 5377269 - Filed Oct 29, 1992 - Intelligent Security Systems, Inc.

During **operating system** loading of the PC, the basic input/output system ...

For example, password boards provide **security** only during **initialization** of the ...

Distributed security auditing subsystem for an operating system

US Pat. 5032979 - Filed Jun 22, 1990 - International Business Machines Corporation

To make a file system accessible, information on the AIX **Operating System**, the reader is 35 Terminal: An input/output device containing a **key**- further ...

Method and apparatus for assessing integrity of computer system software

US Pat. 5421006 - Filed Apr 20, 1994 - Compaq Computer Corp.

A public **key** of a trusted authority trusted software, is stored in the ...

running a version of the DOS **operating system**, though **initialization** software is ...

System and method for performing secure device communications in a peer-to-peer bus architecture

US Pat. 6061794 - Filed Sep 30, 1997 - Compaq Computer Corp.

encrypted, the **operating system** 16 decrypts the message and potentially performs

... configuration during **initialization** and distributes the appropriate **key** ...

Computer-based communication system and method using metadata defining a control structure

US Pat. 5862325 - Filed Sep 27, 1996 - Intermind Corporation

Data type, persistence, access, and **security** control for system data is generally dictated by the features of the **operating system** and the privileges it ...

Electronic casino gaming apparatus with improved play capacity, authentication and security

US Pat. 5643086 - Filed Jun 29, 1995 - Silicon Gaming, Inc.

ROM 30 is matching the private **key** 44 used to originally encrypt the field ...

key 34 is then ROM 29 contains the system **initialization** or boot code, ...

Methods and apparatus for preventing unauthorized write access to a protected non-volatile ...

US Pat. 5835594 - Filed Feb 9, 1996 - Intel Corporation

For further information on private/public **key** encryption/decryption ... During system **initialization**, **operating system** is loaded into main memory 220. ...

Method and apparatus for enhancing computer system security

US Pat. 5953502 - Filed Feb 13, 1997

After the PC has completed its System **Initialization** its normal path of operation would be to load the **Operating System**. For a Trusted Computer System the ...

Network security system allowing access and modification to a security subsystem after initial ...

US Pat. 6212635 - Filed Jul 14, 1998

To enhance the **security** of this process, it would be advisable not to allow any other programs to be allowed to run during any **initialization** or ...

Computer **security system**

US Pat. 5355414 - Filed Jan 21, 1993 - AST Research, Inc.

T ? computer's **operating system** by peripheral input de- & tgr During ...

Art keyboard controller monitors the activity of the **key- Security** systems of ...

Computer **system** including a transparent and secure file transform mechanism

US Pat. 5584023 - Filed Dec 27, 1993

During the **initialization** of the **operating system** as a whole, ... a simple user interface to obtain a password **key** for validating the encryption and ...

Computer **system** console

US Pat. 5276863 - Filed Jun 28, 1991 - Digital Equipment Corporation

Access to the **operating system** is interrupted during the **security** checking. ...

A flow chart illustrating the **initialization** of a computer system is shown ...

Method and apparatus for increasing **security** against unauthorized write access to a protected memory

US Pat. 6249872 - Filed Jan 5, 1998 - Intel Corporation

For further information on private/ :5 public **key** encryption/decryption ...

During system **initialization**, **operating system** is loaded into main memory 2U1. ...

System and method for a multi-application smart card which can facilitate a post-issuance ...

US Pat. 6005942 - Filed Mar 24, 1998 - Visa International Service Association

Because only applets can be its **operating system**, card identification, ...

An **initialization key** is a secret **key** which is typically used by a smart card ...

System for software registration

US Pat. 5490216 - Filed Sep 21, 1993 - Uniloc Private Limited

Preferably, the **security key** is generated by a registration number algorithm.

... user name or computer, **initialization** date of hard disk, ...

Data logging and transfer **system** using portable and resident units

US Pat. 4625276 - Filed Aug 31, 1983 - Vericard Corporation

The seller may review his balance by operating the balance **key** (BAL) when the PIN

... A special **initialization** code is now entered, to enable to module to ...

Secure BIOS

US Pat. 5844986 - Filed Sep 30, 1996 - Intel Corporation

Field of the Invention This invention relates to the field of **security** of ...

tasks such as **initialization**, diagnostics, loading the **operating system** kernel ...

Electronic casino gaming **system** with improved play capacity, authentication and **security**

US Pat. 6106396 - Filed Mar 10, 1998 - Silicon Gaming, Inc.

In the preferred embodiment, the two-**key** (private/public **key**) encryption technique

developed by RSA Data **Security**, Inc. of Redwood City, Calif., is used. ...

System for automatic decryption of file data on a per-use basis and automatic re-encryption ...

US Pat. 5699428 - Filed Jan 16, 1996 - Symantec Corporation

3A) If a corrective update of the File-tag and/or **initialization**... . If the decryption **key**. file's **security** label (not shown) is found to be valid and in ...

Electronic information network user authentication and authorization **system**

US Pat. 5590199 - Filed Oct 12, 1993 - The Mitre Corporation

The smart card assumes that the first response to be decrypted following **initialization** comes from the KAS. This response is encrypted in the user **key** and ...

Methods and apparatus for internet based financial transactions with evidence of payment

US Pat. 6233565 - Filed Feb 13, 1998 - Saranac Software, Inc.

Only during server 4 **initialization** and self-test will a single finite ...
may be taken to ensure that the **operating system** meets the **security** requirements ...

Hard drive **security system**

US Pat. 5012514 - Filed Jun 26, 1990

As a part of the **initialization** of the **operating system**, The new keyboard ...
the Control and Alternate **key** bits in the 60 initialize the program **SECURITY**... .

Dual purpose **security** architecture with protected internal **operating system**

US Pat. 5615263 - Filed Jan 6, 1995 - VLSI Technology, Inc.

However, if a secure **operating system** is not implemented, these systems also,
... 3 shows a flowchart which illustrates **initialization** of the dual mode ...

Multi-step digital signature method and **system**

US Pat. 5825880 - Filed Jun 4, 1997

Following the discussion of , system **initialization**, the preferred methods of
... ENCRYPTION **KEY** DISTRIBUTION 40 Each signing device, and each authorizing ...

Method and apparatus for secure processing of cryptographic keys

US Pat. 6557104 - Filed May 2, 1997 - Phoenix Technologies Ltd.

If the digests match, the PIN is verified at step 47 and the **key** is loaded ...
said source to be made unavailable upon **initialization** of an **operating system**.

Computer-based communication **system** and method using metadata defining a control-structure

US Pat. 6088717 - Filed Aug 31, 1998 - OneName Corporation

File data includes data available directly via **operating system** calls such as
... use a standard set of setup and **initialization** files including AUTOEXEC. ...

Ally mechanism for interconnecting non-distributed computing environment (DCE) and DCE **systems** ...

US Pat. 5497463 - Filed Sep 25, 1992 - Bull HN Information Systems Inc.

As part of the **initialization** sequence of client system 10, ... in the same manner
as a DPS system and the GCOS **operating system** are initialized. ...

System for automatic decryption of file data on a per-use basis and automatic re-encryption ...

US Pat. 5796825 - Filed Oct 6, 1997 - Symantec Corporation

3A) If a corrective update of the File-tag and/or **initialization**... . If the decryption **key**. file's **security** kbel (not shown) is found to be valid and in If ...

Method of authenticating game data sets in an electronic casino gaming **system**

US Pat. 6149522 - Filed Jun 29, 1998 - Silicon Gaming - Nevada

A system boot ROM 14 provides the **initialization** software required when power ... (private/public **key**) encryption technique developed by RSA Data **Security**, ...

System and method for securely accessing information from disparate data sources through a network

US Pat. 5884312 - Filed Feb 28, 1997 - Electronic Data Systems Corporation

Operating system 52 Processor 58, just like processor 44 of client 24, ...
by a user or automatically during **initialization** of through a system bus. ...

System and method for installing/de-installing an application on a smart card

US Pat. 6390374 - Filed Aug 31, 1999

The material data comprises either a file structure or a **security key**... .

The first-power **initialization** routine comprises initializing the read/write ...

Universal electronic transaction card including receipt storage and **system and methods of ...**

US Pat. 5590038 - Filed Jun 20, 1994

The UET Card software also includes an **operating system** 412, ... clock and calendar 418, **initialization** 419, and authorization/**security** and signature ...

Printed publication remote control for accessing interactive media

US Pat. 5624265 - Filed Jul 1, 1994 - TV Interactive Data Corporation

On finding a valid **initialization** FIG. ... The seek to identify a **security key** to ensure the authenticity of autostart driver is installed during the start ...

Preboot protection for a data **security system with anti-intrusion capability**

US Pat. 5610981 - Filed Feb 28, 1995 - Integrated Technologies Of America, Inc.

It should be apparent, however, that the same type of **security** could be ...

d) executing a verification routine upon **initialization** of the computer to ...

Personal computer **security system**

US Pat. 5483649 - Filed Jul 1, 1994 - YBM Technologies, Inc.

4 is a flow chart of the protection **initialization** program; FIGS. ... **operating system** (OS) software 24, modular device driver (MDD) software 26 and basic ...

LAN station personal computer **system with controlled data access for normal and unauthorized ...**

US Pat. 5287519 - Filed Sep 17, 1992 - International Business Machines Corp.

If the authorized user had entered the three **key** keystroke sequence, either after keyboard **initialization** prior to the window opening or during the open ...

Network desktop management **security system and method**

US Pat. 6061795 - Filed May 12, 1997 - Pinnacle Technology Inc.

In the exemplary embodiment with a multi-tasking **operating system**, more than one process can ... such as a **security key** or other suitable authentication. ...

Secure and reliable bootstrap architecture

US Pat. 6185678 - Filed Oct 2, 1998 - Trustees of the University of Pennsylvania

To do otherwise limits **security** choices for the **operating system**. ... eg MD5, and Jablon uses public **key** cryptography. Both approaches, however, fail to ...

Secure boot

US Pat. 5937063 - Filed Sep 30, 1996 - Intel Corporation

The boot-up firmware may be an **Operating System** ("OS"), a portion of the OS, ... tasks such as **initialization**, diagnostics, loading the **operating system** ...

Cryptographic labeling of electronically stored data

US Pat. 4864616 - Filed Oct 15, 1987 - Micronyx, Inc.

The file label comprises the following fields: a Banner, a Label Size, a **Key Mix**, an Access Check, an **Initialization Vector**, and a Check- 40 sum. ...

Personal communication **system** to send and receive voice data positioning information

US Pat. 6148261 - Filed Jun 20, 1997 - American Calcar, Inc.

At initial power on the **initialization** page 25a (shown in FIG. ... information and sequencing is provided by the application modules and **operating system** ...

Notebook **security system** (NBS)

US Pat. 6216230 - Filed Jul 31, 1998 - Durango Corporation

After the **initialization** protocol is executed, the **key** device 20 waits for a ... preferably when the **security system** software is installed on the computer. ...

System and method for controlling the use of a computer

US Pat. 5361359 - Filed Aug 31, 1992 - Trusted Information Systems, Inc.

The second embodiment thus pro- tures each request made to the **operating system** 215. vides heightened **security** without compromising flexi- (See step 810. ...

Security system and method for financial institution server and client web browser

US Pat. 6105012 - Filed Apr 22, 1997 - Sun Microsystems, Inc.

Furthermore, the **security** features of this invention benefit companies ... The second record of the return message 143 can be the random session **key** 254. ...

Distributed garbage collection **system** and method

US Pat. 5960087 - Filed Jul 1, 1996 - Sun Microsystems, Inc.

The values of the data 230-al can be set through an **initialization** step after the ... by capability **security**) **key** associated with the particular object. ...

System and method for configuring and managing resources on a multi-purpose integrated circuit ...

US Pat. 6038551 - Filed Mar 11, 1996 - Microsoft Corporation

The user can configure the computer's **operating system**... . 6 shows a diagrammatic illustration of a card-based signing **key** and returns the signed digest to ...

Method for starting up a process automatically on insertion of a storage media into a host device

US Pat. 5597307 - Filed May 11, 1995 - TV Interactive Data Corporation

During booting, host device 120 checks for **initialization** files such as startup ... the autostart driver can seek to identify a **security key** to ensure the ...

System and method for a multi-application smart card which can facilitate a post-issuance ...

US Pat. 6233683 - Filed Mar 24, 1998 - Visa International Service Association

In addition, one or more **security** domains may also be installed 45 and ... An **initialization key** is a secret **key** which is typically used by a smart card ...

System and method for controlling the dispensing of an authenticating indicia ...

US Pat. 5778076 - Filed Aug 16, 1995 - E-Stamp Corporation

The encryption algorithms can advantageously be RSA public/private **key** but ...
POSTAGE or **SECURITY DEVICE** type, receives an **initialization** command from the ...

Ensuring the integrity of remote boot client data

US Pat. 6189100 - Filed Jun 30, 1998 - Microsoft Corporation

The **initialization** loader 211 requests that the user of the client ... and passes
the secret 215 to a local **security** module in the **operating system** when the ...

Process for securing and for checking the integrity of the secured programs

US Pat. 5224160 - Filed Mar 20, 1992 - Siemens Nixdorf Informationssysteme AG

Since a secret **key**, which is stored read- integrity by means of corrective ...
of **security** against decoding, protection against unauthorized manipulations. ...

Delegated management of smart card applications

US Pat. 6481632 - Filed Oct 26, 1999 - Visa International Service Association

Provider **security** domains 106 and 108 are special **key** and **security** management
applications ... installed or removed during **initialization** or post- issuance. ...

Internet online backup **system** provides remote storage for customers using IDs and passwords ...

US Pat. 5771354 - Filed Nov 4, 1993

... when the customer depresses an "hot **key**" sequence on keyboard 56, ... (block
524) and returns control to the **operating system** again (block 526). FIGS. ...

Computer-based communication **system** and method using metadata defining a control-structure

US Pat. 6345288 - Filed May 15, 2000 - OneName Corporation

Data type, persistence, access, and **security** control for system data is generally
dictated by the features of the **operating system** and the privileges it ...

Security system for video game **system** with hard disk drive and internet access capability

US Pat. 6468160 - Filed Aug 27, 1999 - Nintendo of America, Inc.

Initialization code in the boot ROM is executed to, for example, perform further
security check and self test func- 65 tions. ...

Apparatus and method for remotely executing commands using distributed computing environment ...

US Pat. 6148402 - Filed Apr 1, 1998 - Hewlett-Packard Company

After **initialization** there is a check to see if the **security** for the remote ...
The default **security** method is accomplished by creating an encoded **key** by ...

Notebook **security system** using infrared **key**

US Pat. 6425084 - Filed Oct 10, 2000 - Durango Corporation

After the **initialization** protocol is executed, the **key** device 20 waits for a ...
preferably when the **security** system software is installed on the computer. ...

Trusted path mechanism for an **operating system**

US Pat. 4918653 - Filed Jan 28, 1988 - International Business Machines Corporation

The primary UNIX-type **operating system** file is the kernel which is loaded into
the memory and carries out **initialization** operations, organizing the system ...

Remote trusted path mechanism for telnet

US Pat. 4885789 - Filed Feb 1, 1988 - International Business Machines Corporation
It is a method in a UNIX-type **operating system** for creating, in response to the Secure Attention **Key**, a trusted path between the terminal and a trusted ...

Secure translation of usage-control values for cryptographic keys

US Pat. 5177791 - Filed Aug 30, 1991 - International Business Machines Corp.
Having created the two dummy keys, a working **key** in the form ... This alternate embodiment allows **initialization** to proceed transparently to the user, ...

Computer accessing **system**

US Pat. 4891838 - Filed Nov 4, 1985 - Dental Data Service, Inc.
The data was processed by an encod- 2^A the computer system. ing module and an **initialization key** code produced by Another feature of the present invention ...

Virtual ports for data transferring of a data storage **system**

US Pat. 6421711 - Filed Jun 29, 1998 - EMC Corporation
It performs its own **initialization** but does not execute any operations related ... The machine-based **security** feature includes an encryption **key** stored in ...

Method and **system** for time zero backup session **security**

US Pat. 5448718 - Filed Apr 20, 1992 - International Business Machines Corporation
The listed or identified abnormal termination must also address **security** aspects datasets ... Thereaf- Following **initialization**, storage manager begins ter, ...

Device, **system** and methods of conducting paperless transactions

US Pat. 5884271 - Filed Sep 6, 1996
The UET card software also includes an **operating system** 412, memory management ... clock and calendar 418, **initialization** 419, and authorization/**security** and ...

Method and apparatus for enabling a web server to impersonate a user of a distributed file ...

US Pat. 5918228 - Filed Jan 28, 1997 - International Business Machines Corporation
For example, in the case of the AIX **Operating System**, the native filesystem is ... Session manager 27 starts up upon **initialization** of the Web server and is ...

Method for automatically starting execution and ending execution of a process in a host device ...

US Pat. 5711672 - Filed Jun 30, 1995 - TV Interactive Data Corporation
On finding a valid **initialization** file. to see if a **key** file of a first ...
In step autostart start-up instructions once the **security key** has been correctly ...

Support for portable trusted software

US Pat. 5825877 - Filed Jun 11, 1996 - International Business Machines Corporation
15 A significant concern with code obtained from elsewhere is that of **security**.
For example, in the Unix **operating system**, the code will run in the client's ...

Method and apparatus for securing integrated circuits from unauthorized copying and use

US Pat. 4766516 - Filed Sep 24, 1987 - Hughes Aircraft Company
In the most general sense an **operating system** for this 60 purpose is any system ... to the processor memory, or a similar system **initialization** procedure. ...

Secure data communication over a memory-mapped serial communications interface utilizing a ...

US Pat. 6212633 - Filed Jun 26, 1998 - VLSI Technology, Inc.

13 182 to set a **security** enabled flag so that this node is enabled for secure ... the **operating system**) that the attempt to exchange a session **key** with ...

Trusted workstation in a networked client/server computing **system**

US Pat. 6477648 - Filed Mar 23, 1997 - Novell, Inc.

Note, that with network centric **operating system** such as Novell's netware® 4.1 ... **operating system** and application software (executed after **initialization**) ...

Method and **system** for securing enablement access to a data **security** device

US Pat. 7107460 - Filed Feb 15, 2002 - International Business Machines Corporation

Utilizing the **operating system** loader, the bootstrap program loads **operating** ... Implementation of public/private **key security** systems requires user-side ...

Biometrically secured control **system** for preventing the unauthorized use of a vehicle

US Pat. 5867802 - Filed Aug 2, 1996 - Dew Engineering and Development Limited

The use of **security** systems is generally well known. ... **system** to commercially available pro- **initialization** routines of the system boot-up procedure. ...

Password protecting ROM based utilities in an adapter ROM

US Pat. 5742758 - Filed Jul 29, 1996 - International Business Machines Corporation

Once the ROM Scan is One of the features of the C-2 **security** design is the ... **key** sequence is entered, the ROM based utility „ **initialization** code ...

System and method for controlling the storage of data within a portable memory ...

US Pat. 5801364 - Filed Aug 16, 1995 - E-Stamp Corporation

The **initialization** command must first verify, in the host processor-based ... are through interfaces with the "Windows" **operating system** by 45 specific to ...

Methods and apparatus for preventing unauthorized write access to a protected non-volatile storage

US Pat. 6510521 - Filed Jul 8, 1998 - Intel Corporation

For further information on private/public **key** encryption/decryption ... During system **initialization**, **operating system** is loaded into main memory 220. ...

Network control center for satellite communication **system**

US Pat. 5842125 - Filed Oct 10, 1996 - AMSC Subsidiary Corporation

... **Initialization** Request MIS Mobile Terminal Interface Simulator MIS Mobile ... Mobile Terminal/Net Radio MT ASK Mobile Terminal Access **Security Key** MTBF ...

Tokenless identification of individuals

US Pat. 5805719 - Filed Mar 18, 1997 - SmartTouch

Unique DUKPT Future **Key** Table 50 Unique 112-bit MAC **Key** DSP biometric quality ... that is irreversibly set following the **initialization** of the flash ROM. ...

Home video game **system** with hard disk drive and internet access capability

US Pat. 6599194 - Filed Apr 8, 1999

Initialization code in the boot ROM is executed to, for example, perform further **security** check and self test functions. In one embodiment of the present ...

Escrow **key** management **system** for accessing encrypted data with portable cryptographic modules ...

US Pat. 5721777 - Filed Dec 29, 1994 - Lucent Technologies Inc.
Operating under the control of the smartcard 20 **security** and application ...
to the 55 the programmed instructions contained in **initialization** former. ...

Priority and preemption service **system** for satellite related communication using central controller

US Pat. 6058307 - Filed Feb 12, 1998 - AMSC Subsidiary Corporation
... **Initialization** Request MIS Mobile Terminal Interface Simulator MIS Mobile ...
Channel MT ASK Mobile Terminal Access **Security Key** MTBF Mean-Time Between ...

Structured document browser

US Pat. 5933841 - Filed May 17, 1996 - Ameritech Corporation
1, the **operating system** launches the browser.exe executable file as shown at ...
of the data directory, **security key**, and public and private directories. ...

Integrated production of smart cards

US Pat. 6402028 - Filed Apr 6, 1999 - Visa International Service Association
50 Examples of **security** requirements of the application include **initialization**
and personalization keys, data identi- 55 fying a cryptographic algorithm, ...

System and method for providing trustworthy network **security** concern communication in an active ...

US Pat. 6611869 - Filed Mar 31, 2000 - Networks Associates, Inc.
During the **initialization** phase of active **security**, the client system 31 and ...
must respectively generate public **key** 54, 56, 58 and private **key** 55, 57, ...

Fuel dispensing home phone network alliance (home PNA) based **system**

US Pat. 6442448 - Filed Jun 4, 1999 - Radiant Systems, Inc.
Applications approved by a company are marked with a signature based on the
application file and a private **key**. The **operating system** on Further **security** may ...

Electronic postage meter having improved **security** and fault tolerance features

US Pat. 4484307 - Filed Feb 16, 1982 - f.m.e. Corporation
... so as to provide information to other **operating system**... a particular
position of regis- after execution of the **initialization** routine (block 150), ...

System and method for controlling the dispensing of an authenticating indicia ...

US Pat. 5796834 - Filed Mar 6, 1997 - E-Stamp Corporation
The encryption algorithms can of encrypted data known as a **security** packet are
sent to the 10 advantageously be RSA public/private **key** but might be POSTAGE ...

System for directly sending undecoded raw signals from reader device via external slave ...

US Pat. 5659800 - Filed Oct 6, 1993 - International Technologies & Systems Corporation (ITS)
When the Windows **operating system** is entered, the driver is loaded and ...
Fourth, it checks the **security key** on the interface board through the port of ...

Network provider loop **security system** and method

US Pat. 6584568 - Filed Apr 12, 1999 - Pinnacle Technology, Inc.
Also, this interval is adjustable by simply changing **initialization** parameters,
... for the workstation **operating system** and the network **operating system**. ...

Method and apparatus for enhancing computer **system security**

US Pat. 6311273 - Filed Jul 6, 1999

of the pc's Disk, ROM and RAM contents are now to be checked by the MYK-80 prior to PC system **initialization** to insure that they still have the same Digital ...

System and method for securely utilizing basic input and output system (BIOS) services

US Pat. 6148387 - Filed Jun 18, 1999 - Phoenix Technologies, Ltd.

Without any **security** protection, the BIOS is vulnerable to attacks through ...

5 is a block diagram illustrating the access driver 46 **initialization** process ...

User authentication from non-native server domains in a computer network

US Pat. 6021496 - Filed Jul 7, 1997 - International Business Machines Corporation

... The Windows NT **operating system** issues these wix function requests during standard

...)—Return a list of **security** groups that the user is a member of. ...

Interactive book, magazine and audio/video compact disk box

US Pat. 5749735 - Filed Nov 3, 1995 - TV Interactive Data Corporation

On finding a valid **initialization** ment of a signal receiver 422 in ... an instruction

to seek to identify a **security key** to ensure the authenticity of ...

Method and system for securely archiving core data secrets

US Pat. 6044155 - Filed Dec 23, 1997 - Microsoft Corporation

The **Security** Descriptor clause provides access based on Windows NT access control

... a hash of a binary image of an application program at **initialization**. ...

System and method for automatically providing shipping/transportation fees

US Pat. 6233568 - Filed Jun 29, 1998 - E-Stamp Corporation

This data structure has a predefined layout and contents which are encrypted

using a certain **key** and method of encryption. This **security** packet contains ...

Method and apparatus for cross-partition control in a partitioned process environment

US Pat. 5345590 - Filed Sep 1, 1993 - International Business Machines Corporation

2 is a flowchart of the **initialization** phase of this invention. 40 FIG. 3 is a

schematic diagram showing the Logical Partition **Security** frame used in this ...

Personal computer hard disk protection system

US Pat. 5586301 - Filed Nov 9, 1994 - YBM Technologies, Inc.

20 is a flow chart for a **key** program. DESCRIPTION OF THE INVENTION 30 Referring now

... The set of protection programs includes a protection **initialization** ...

Host device equipped with means for starting a process in response to detecting insertion of a ...

US Pat. 5795156 - Filed Nov 1, 1995 - TV Interactive Data Corporation

On finding a valid **initialization** ment of a signal receiver 422 in ... an instruction

to seek to identify a **security key** to ensure the authenticity of ...

Object-based security system

US Pat. 6330677 - Filed Oct 27, 1998 - Sprint Communications Company, L. P.

The **operating system** 1104 could be any software program to facilitate the ...

The **security** files 1107 contain **initialization** data for the crypto agent 1108 ...

Secure computing device having boot read only memory verification of program code

US Pat. 6775778 - Filed May 19, 1999 - Texas Instruments Incorporated

The secure computing system of claim, wherein: said **initialization** program stored in said read only memory includes instructions causing said data processor ...

Synchronizing/updating local client notes with annotations previously made by other clients in a ...

US Pat. 6687878 - Filed Mar 15, 1999 - Real Time Image Ltd.

Using the **operating system security** flags, only a user named 'Acme' would be given rights ... Annotation Session: **Initialization** The following describes the ...

Google 

Result Page: 1 2 3 **Next**

security key "operating system" initialization

Search Patents

[Google Patent Search Help](#) | [Advanced Patent Search](#)

[Google Home](#) - [About Google](#) - [About Google Patent Search](#)

©2007 Google